



# CLADDING, TRIM AND ACCESSORY CATALOG



2025

# THERE'S NEVER BEEN CLADDING LIKE **THIS**.

ASCEND® Composite Cladding offers a first-of-its-kind solution that brings together beauty, performance and efficient installation for one of the best overall values on the market.






Choose from our extensive palette of colors ranging from timeless to on-trend in 21 beautiful shades.



# ASCEND COMPOSITE CLADDING SYSTEM





Product	Code	Description	Colors				Packaging
<b>7" ASCEND Composite Plank</b> 	01-8001	7" exposure	Ageless Slate	Z5	Harbor Blue	4I	1 sq/carton 14 planks/carton
		12'3" length	Almond	54	Laguna Blue	LU	
		3/4" projection	Canyon Drift	53	Midnight Blue	Q7	
		Cedar mill texture	Cape Cod Gray	V3	Monterey Sand	3D	
		Low-gloss finish	Cast Iron	CI	Mountain Fern	MF	
		Reinforced nailhem	Charcoal Smoke	1Q	Pebble	52	
			Deep Moss	M1	Riviera Dusk	6F	
			Dover Gray	11	Rustic Timber	Z8	
			Fired Brick	Z7	Sterling Gray	Z4	
			Flagship Brown	Z6	Storm	G2	
			Glacier White	V1			
<b>12" ASCEND Composite Board &amp; Batten</b> 	01-8021	Cedar mill texture	Ageless Slate	Z5	Harbor Blue	4I	0.96 sq/carton 8 planks/carton
	01-8022	Matte texture	Almond	54	Laguna Blue	LU	
		12" exposure	Canyon Drift	53	Midnight Blue	Q7	
		12' length	Cape Cod Gray	V3	Monterey Sand	3D	
		3/4" projection	Cast Iron	CI	Mountain Fern	MF	
		Low-gloss finish	Charcoal Smoke	1Q	Pebble	52	
		Reinforced nailhem	Deep Moss	M1	Riviera Dusk	6F	
			Dover Gray	11	Rustic Timber	Z8	
			Fired Brick	Z7	Sterling Gray	Z4	
			Flagship Brown	Z6	Storm	G2	
			Glacier White	V1			

# ASCEND COMPOSITE CLADDING ACCESSORIES







Product	Code	Description	Colors	Packaging
<b>5-1/2" ASCEND Composite H-Trim</b> 	10-8042	5-1/2" exposure 16' length 3/4" channel pocket Matte texture Low-gloss finish	Ageless Slate Z5 Harbor Blue 4I Almond 54 Laguna Blue LU Canyon Drift 53 Midnight Blue Q7 Cape Cod Gray V3 Monterey Sand 3D Cast Iron CI Mountain Fern MF Charcoal Smoke 1Q Pebble 52 Deep Moss M1 Riviera Dusk 6F Dover Gray 11 Rustic Timber Z8 Fired Brick Z7 Sterling Gray Z4 Flagship Brown Z6 Storm G2 Glacier White V1	10 pcs/carton
<b>3-1/2" ASCEND Composite Trim*</b> 	10-8072	3-1/2" exposure 16' length 3/4" channel pocket Matte texture Low-gloss finish	Cape Cod Gray V3 Dover Gray 11 Flagship Brown Z6 Glacier White V1 Monterey Sand 3D Pebble 52 Storm G2	10 pcs/carton
<b>5-1/2" ASCEND Composite Trim*</b> 	10-8082	5-1/2" exposure 16' length 3/4" channel pocket Matte texture Low-gloss finish	Cape Cod Gray V3 Dover Gray 11 Flagship Brown Z6 Glacier White V1 Monterey Sand 3D Pebble 52 Storm G2	10 pcs/carton
<b>3-1/2" ASCEND Composite Outside Corner Post</b> 	10-8032	3-1/2" exposure 12' length 3/4" channel pocket Matte texture Low-gloss finish	Ageless Slate Z5 Harbor Blue 4I Almond 54 Laguna Blue LU Canyon Drift 53 Midnight Blue Q7 Cape Cod Gray V3 Monterey Sand 3D Cast Iron CI Mountain Fern MF Charcoal Smoke 1Q Pebble 52 Deep Moss M1 Riviera Dusk 6F Dover Gray 11 Rustic Timber Z8 Fired Brick Z7 Sterling Gray Z4 Flagship Brown Z6 Storm G2 Glacier White V1	10 pcs/carton
<b>5-1/2" ASCEND Composite Outside Corner Post</b> 	10-8052	5-1/2" exposure 12' length 3/4" channel pocket Matte texture Low-gloss finish	Ageless Slate Z5 Harbor Blue 4I Almond 54 Laguna Blue LU Canyon Drift 53 Midnight Blue Q7 Cape Cod Gray V3 Monterey Sand 3D Cast Iron CI Mountain Fern MF Charcoal Smoke 1Q Pebble 52 Deep Moss M1 Riviera Dusk 6F Dover Gray 11 Rustic Timber Z8 Fired Brick Z7 Sterling Gray Z4 Flagship Brown Z6 Storm G2 Glacier White V1	10 pcs/carton

\*Use standard vinyl finish trim/undersill trim as starter.

# ASCEND COMPOSITE CLADDING ACCESSORIES (CON'T)

Product	Code	Description	Colors	Packaging			
<b>ASCEND J-Channel</b> 	10-8062	1" face 12' length 3/4" channel pocket Matte texture Low-gloss finish	Ageless Slate	Z5	Harbor Blue	4I	32 pcs/carton
			Almond	54	Laguna Blue	LU	
			Canyon Drift	53	Midnight Blue	Q7	
			Cape Cod Gray	V3	Monterey Sand	3D	
			Cast Iron	CI	Mountain Fern	MF	
			Charcoal Smoke	1Q	Pebble	52	
			Deep Moss	M1	Riviera Dusk	6F	
			Dover Gray	11	Rustic Timber	Z8	
			Fired Brick	Z7	Sterling Gray	Z4	
			Flagship Brown	Z6	Storm	G2	
			Glacier White	V1			
<b>ASCEND Finish Trim</b> 	10-5215-00	12'6" length	Universal	20 pcs/carton			
<b>2.5" ASCEND Steel Starter Strip</b> 	10-7371-00	G90 Galvanized Steel 10' length	Universal	24 pcs/carton			
<b>Nail Slot Punch</b> 	76-7204-00	Elongates nail slot		3 pcs/carton			



# COLOR-MATCHED SHAKES/SCALLOPS

Product		Description			Colors		
<b>Traditional Shake</b> 	65-5050**	Single 7" exposure Polypropylene panel 81.29" length 5/8" nom. butt height Deep cedargrain texture	Ageless Slate	Z5	Harbor Blue	4I	13 pcs/carton (1/2 sq/carton)
			Almond	54	Laguna Blue	LU	
<b>Hand-Split Shake</b> 	65-5052**	Single 9" exposure Polypropylene panel 75-1/2" length 5/8" nom. butt height Deep cedargrain texture Staggered edge bottom	Canyon Drift	53	Midnight Blue	Q7	11 pcs/carton (1/2 sq/carton)
			Cape Cod Gray	V3	Monterey Sand	V5	
<b>Scallops</b> 	65-5055**	Single 6-1/4" exposure Polypropylene panel 76.86" length 1/2" nom. butt height Natural cedargrain texture	Cast Iron	CI	Mountain Fern	MF	15 pcs/carton (1/2 sq/carton)
			Charcoal Smoke	1Q	Pebble	52	
<b>Cape Cod Shingle</b> 	65-5054**	Double 5" exposure Polypropylene panel 67.33" length 1/2" nom. butt height Natural cedargrain texture	Deep Moss	M1	Riviera Dusk	6F	11 pcs/carton (1/2 sq/carton)
			Dover Gray	11	Rustic Timber	Z8	
<b>Traditional Shake Corner Post</b> 	65-5153**	15.86" panel length Polypropylene panel Deep cedargrain texture	Fired Brick	Z7	Sterling Gray	Z4	10 pcs/carton
			Flagship Brown	Z6	Storm	G2	
<b>Hand-Split Shake Corner Post</b> 	65-5152**	20.18" panel length Polypropylene panel Deep cedargrain texture Staggered edge bottom	Glacier White	V1			10 pcs/carton
			Ageless Slate	Z5	Harbor Blue	4I	

65-5160 starter strip used for all shake/scallop products listed above.

\*\*Per panel product code. Extended lead times and minimum order quantities may apply.

# ALUMINUM TRIM COIL

Product	Code	Description	Colors				Packaging
<b>Performance G8 Trim Coil</b> 	10-3960	24" x 50' .019 nominal thickness 25 lbs/roll	Ageless Slate	Z5	Harbor Blue	4I	1 roll/carton 32 rolls/skid
			Almond	54	Laguna Blue	LU	
			Canyon Drift	53	Midnight Blue	Q7	
			Cape Cod Gray	V3	Monterey Sand	V5	
			Cast Iron	CI	Mountain Fern	MF	
			Charcoal Smoke	1Q	Pebble	52	
			Deep Moss	M1	Riviera Dusk	6F	
			Dover Gray	11	Rustic Timber	Z8	
			Fired Brick	Z7	Sterling Gray	Z4	
			Flagship Brown	Z6	Storm	G2	
			Glacier White	V1			
<b>Poly Aluminum Trim Coil</b> 	10-3954	24" x 50' .019 nominal thickness 27 lbs/roll	Ageless Slate	Z5	Harbor Blue	4I	1 roll/carton 32 rolls/skid
			Almond	54	Laguna Blue	LU	
			Canyon Drift	53	Midnight Blue	Q7	
			Cape Cod Gray	V3	Monterey Sand	V5	
			Cast Iron	CI	Mountain Fern	MF	
			Charcoal Smoke	1Q	Pebble	52	
			Deep Moss	M1	Riviera Dusk	6F	
			Dover Gray	11	Rustic Timber	Z8	
			Fired Brick	Z7	Sterling Gray	Z4	
			Flagship Brown	Z6	Storm	G2	
			Glacier White	V1			
<b>PVC Aluminum Trim Coil</b> 	10-3956	24" x 50' .019 nominal thickness 28 lbs/roll	Ageless Slate	Z5	Harbor Blue	4I	1 roll/carton 32 rolls/skid
			Almond	54	Laguna Blue	LU	
			Canyon Drift	53	Midnight Blue	Q7	
			Cape Cod Gray	V3	Monterey Sand	V5	
			Cast Iron	CI	Mountain Fern	MF	
			Charcoal Smoke	1Q	Pebble	52	
			Deep Moss	M1	Riviera Dusk	6F	
			Dover Gray	11	Rustic Timber	Z8	
			Fired Brick	Z7	Sterling Gray	Z4	
			Flagship Brown	Z6	Storm	G2	
			Glacier White	V1			

# ASCEND COMPOSITE CLADDING ARCHITECTURAL SPECIFICATIONS

## PHYSICAL DATA:

Color.....Uniformity is spectrophotometrically controlled  
Emboss.....Cedar mill grain (7" Plank and 12" Board & Batten); Matte (12" Board & Batten)  
Gloss.....Uniform low gloss maintained with a 75° gloss meter

## PRODUCT TEST DATA:

Impact Resistance	>35 inch lbs
Coefficient of Linear Expansion (in/in/°F)	$2.3 \times 10^{-5}$
Thermal Resistance	R-value 2.0 (7" Plank); R-value 1.6 (12" Board & Batten)
ASTM D5206-13, Windload Resistance	7" Plank – 53 psf (24" OC nails, 1-1/4" penetration) 12" Board & Batten – 52 psf (12" OC nails); 65.33 psf (8" OC nails)*

\*When installed directly over sheathing. Installation over 7/16" sheathing. Penetration into sheathing only.

## FIRE RESISTANCE:

ASTM E84 - Class A	Flame spread index $\leq 25$ Smoke developed index $\leq 450$
ASTM E2707-22, Rated Assemblies	Approved for use
ASTM E119, Rated Assemblies	Approved for use
ASTM D635, Rate of Burn	No self-sustained burn
ASTM D1929, Self-Ignition/Flash-Ignition Temperature	770°F (410°C)/734°F (390°C)
NFPA 268, Section 1406 of IBC	Approved for use

## CODES AND REGULATORY COMPLIANCE:

Intertek Code Compliance Research Report #0316  
ICC-ES Evaluation Report – ESR 4449  
Florida Product Approval #31747 (7" Plank); #46921 (12" Board & Batten)

## WARRANTY:

ASCEND offers a lifetime limited warranty to the original homeowner; the warranty is transferable if the home is sold.

## THREE-PART FORMAT SPECIFICATION:

Long-form specification in three-part format is available at [ASCENDCompositeCladding.com](http://ASCENDCompositeCladding.com).



[ASCENDCompositeCladding.com](http://ASCENDCompositeCladding.com) | 800.922.6009

