



CLADDING, TRIM AND ACCESSORY CATALOG



2026




THERE'S NEVER BEEN CLADDING LIKE **THIS.**

ASCEND® Composite Cladding offers a first-of-its-kind solution that brings together beauty, performance and efficient installation for one of the best overall values on the market.






Choose from our extensive palette of colors ranging from timeless to on-trend in 21 beautiful shades.






ASCEND COMPOSITE CLADDING SYSTEM

Product	Code	Description	Colors				Packaging
5" ASCEND Composite Plank 	01-8041	Cedar mill texture	Ageless Slate	Z5	Harbor Blue	4I	1 sq/carton 20 planks/carton
		5" exposure	Almond	54	Laguna Blue	LU	
		12' length	Canyon Drift	53	Midnight Blue	Q7	
		3/4" projection	Cape Cod Gray	V3	Monterey Sand	3D	
		Low-gloss finish	Cast Iron	CI	Mountain Fern	MF	
		Reinforced nailhem	Charcoal Smoke	1Q	Pebble	52	
			Deep Moss	M1	Riviera Dusk	6F	
			Dover Gray	11	Rustic Timber	Z8	
			Fired Brick	Z7	Sterling Gray	Z4	
			Flagship Brown	Z6	Storm	G2	
			Glacier White	V1			
7" ASCEND Composite Plank 	01-8001	Cedar mill texture	Ageless Slate	Z5	Harbor Blue	4I	1 sq/carton 14 planks/carton
	01-8003	Matte texture	Almond	54	Laguna Blue	LU	
		7" exposure	Canyon Drift	53	Midnight Blue	Q7	
		12'3" length	Cape Cod Gray	V3	Monterey Sand	3D	
		3/4" projection	Cast Iron	CI	Mountain Fern	MF	
		Low-gloss finish	Charcoal Smoke	1Q	Pebble	52	
		Reinforced nailhem	Deep Moss	M1	Riviera Dusk	6F	
			Dover Gray	11	Rustic Timber	Z8	
			Fired Brick	Z7	Sterling Gray	Z4	
			Flagship Brown	Z6	Storm	G2	
			Glacier White	V1			
12" ASCEND Composite Board & Batten 	01-8021	Cedar mill texture	Ageless Slate	Z5	Harbor Blue	4I	0.96 sq/carton 8 planks/carton
	01-8022	Matte texture	Almond	54	Laguna Blue	LU	
		12" exposure	Canyon Drift	53	Midnight Blue	Q7	
		12' length	Cape Cod Gray	V3	Monterey Sand	3D	
		3/4" projection	Cast Iron	CI	Mountain Fern	MF	
		Low-gloss finish	Charcoal Smoke	1Q	Pebble	52	
		Reinforced nailhem	Deep Moss	M1	Riviera Dusk	6F	
			Dover Gray	11	Rustic Timber	Z8	
			Fired Brick	Z7	Sterling Gray	Z4	
			Flagship Brown	Z6	Storm	G2	
			Glacier White	V1			





ASCEND COMPOSITE CLADDING ACCESSORIES

Product	Code	Description	Colors				Packaging
5-1/2" ASCEND Composite H-Trim 	10-8042	5-1/2" exposure 16' length 3/4" channel pocket Matte texture Low-gloss finish	Ageless Slate Almond Canyon Drift Cape Cod Gray Cast Iron Charcoal Smoke Deep Moss Dover Gray Fired Brick Flagship Brown Glacier White	Z5 54 53 V3 CI 1Q M1 11 Z7 Z6 V1	Harbor Blue Laguna Blue Midnight Blue Monterey Sand Mountain Fern Pebble Riviera Dusk Rustic Timber Sterling Gray Storm	4I LU Q7 3D MF 52 6F Z8 Z4 G2	10 pcs/carton
3-1/2" ASCEND Composite Trim* 	10-8072	3-1/2" exposure 16' length 3/4" channel pocket Matte texture Low-gloss finish	Cape Cod Gray Dover Gray Flagship Brown Glacier White Monterey Sand Pebble Storm	V3 11 Z6 V1 3D 52 G2			10 pcs/carton
*Use standard vinyl finish trim/undersill trim as starter (10-5200).							
5-1/2" ASCEND Composite Trim* 	10-8082	5-1/2" exposure 16' length 3/4" channel pocket Matte texture Low-gloss finish	Cape Cod Gray Dover Gray Flagship Brown Glacier White Monterey Sand Pebble Storm	V3 11 Z6 V1 3D 52 G2			10 pcs/carton
*Use standard vinyl finish trim/undersill trim as starter (10-5200).							
3-1/2" ASCEND Composite Outside Corner Post 	10-8032	3-1/2" exposure 12' length 3/4" channel pocket Matte texture Low-gloss finish	Ageless Slate Almond Canyon Drift Cape Cod Gray Cast Iron Charcoal Smoke Deep Moss Dover Gray Fired Brick Flagship Brown Glacier White	Z5 54 53 V3 CI 1Q M1 11 Z7 Z6 V1	Harbor Blue Laguna Blue Midnight Blue Monterey Sand Mountain Fern Pebble Riviera Dusk Rustic Timber Sterling Gray Storm	4I LU Q7 3D MF 52 6F Z8 Z4 G2	10 pcs/carton
5-1/2" ASCEND Composite Outside Corner Post 	10-8052	5-1/2" exposure 12' length 3/4" channel pocket Matte texture Low-gloss finish	Ageless Slate Almond Canyon Drift Cape Cod Gray Cast Iron Charcoal Smoke Deep Moss Dover Gray Fired Brick Flagship Brown Glacier White	Z5 54 53 V3 CI 1Q M1 11 Z7 Z6 V1	Harbor Blue Laguna Blue Midnight Blue Monterey Sand Mountain Fern Pebble Riviera Dusk Rustic Timber Sterling Gray Storm	4I LU Q7 3D MF 52 6F Z8 Z4 G2	10 pcs/carton

ASCEND COMPOSITE CLADDING ACCESSORIES (CON'T)

Product	Code	Description	Colors	Packaging
ASCEND J-Channel 	10-8062	1" face 12' length 3/4" channel pocket Matte texture Low-gloss finish	Ageless Slate Z5 Almond 54 Canyon Drift 53 Cape Cod Gray V3 Cast Iron CI Charcoal Smoke 1Q Deep Moss M1 Dover Gray 11 Fired Brick Z7 Flagship Brown Z6 Glacier White V1 Harbor Blue 4I Laguna Blue LU Midnight Blue Q7 Monterey Sand 3D Mountain Fern MF Pebble 52 Riviera Dusk 6F Rustic Timber Z8 Sterling Gray Z4 Storm G2	32 pcs/carton
ASCEND Finish Trim 	10-5215-00	12'6" length	Universal	20 pcs/carton
2.5" ASCEND Steel Starter Strip 	10-7371-00	G90 Galvanized Steel 10' length	Universal	24 pcs/carton
Nail Slot Punch 	76-7204-00	Elongates nail slot		3 pcs/carton




COLOR-MATCHED SHAKES/SCALLOPS

Product		Description			Colors		
	65-5050**	Single 7" exposure Polypropylene panel 81.29" length 5/8" nom. butt height Deep cedargrain texture	Ageless Slate	Z5	Harbor Blue	4I	13 pcs/carton (1/2 sq/carton)
			Almond	54	Laguna Blue	LU	
			Canyon Drift	53	Midnight Blue	Q7	
			Cape Cod Gray	V3	Monterey Sand	V5	
			Cast Iron	CI	Mountain Fern	MF	
			Charcoal Smoke	1Q	Pebble	52	
			Deep Moss	M1	Riviera Dusk	6F	
			Dover Gray	11	Rustic Timber	Z8	
			Fired Brick	Z7	Sterling Gray	Z4	
			Flagship Brown	Z6	Storm	G2	
			Glacier White	V1			
				65-5052**	Single 9" exposure Polypropylene panel 75-1/2" length 5/8" nom. butt height Deep cedargrain texture Staggered edge bottom	Ageless Slate	
Almond	54	Laguna Blue				LU	
Canyon Drift	53	Midnight Blue				Q7	
Cape Cod Gray	V3	Monterey Sand				V5	
Cast Iron	CI	Mountain Fern				MF	
Charcoal Smoke	1Q	Pebble				52	
Deep Moss	M1	Riviera Dusk				6F	
Dover Gray	11	Rustic Timber				Z8	
Fired Brick	Z7	Sterling Gray				Z4	
Flagship Brown	Z6	Storm				G2	
Glacier White	V1						
	65-5055**	Single 6-1/4" exposure Polypropylene panel 76.86" length 1/2" nom. butt height Natural cedargrain texture				Ageless Slate	Z5
			Almond	54	Laguna Blue	LU	
			Canyon Drift	53	Midnight Blue	Q7	
			Cape Cod Gray	V3	Monterey Sand	V5	
			Cast Iron	CI	Mountain Fern	MF	
			Charcoal Smoke	1Q	Pebble	52	
			Deep Moss	M1	Riviera Dusk	6F	
			Dover Gray	11	Rustic Timber	Z8	
			Fired Brick	Z7	Sterling Gray	Z4	
			Flagship Brown	Z6	Storm	G2	
			Glacier White	V1			
				65-5054**	Double 5" exposure Polypropylene panel 67.33" length 1/2" nom. butt height Natural cedargrain texture	Ageless Slate	Z5
Almond	54	Laguna Blue				LU	
Canyon Drift	53	Midnight Blue				Q7	
Cape Cod Gray	V3	Monterey Sand				V5	
Cast Iron	CI	Mountain Fern				MF	
Charcoal Smoke	1Q	Pebble				52	
Deep Moss	M1	Riviera Dusk				6F	
Dover Gray	11	Rustic Timber				Z8	
Fired Brick	Z7	Sterling Gray				Z4	
Flagship Brown	Z6	Storm				G2	
Glacier White	V1						
	65-5153**	15.86" panel length Polypropylene panel Deep cedargrain texture				Ageless Slate	Z5
			Almond	54	Laguna Blue	LU	
			Canyon Drift	53	Midnight Blue	Q7	
			Cape Cod Gray	V3	Monterey Sand	V5	
			Cast Iron	CI	Mountain Fern	MF	
			Charcoal Smoke	1Q	Pebble	52	
			Deep Moss	M1	Riviera Dusk	6F	
			Dover Gray	11	Rustic Timber	Z8	
			Fired Brick	Z7	Sterling Gray	Z4	
			Flagship Brown	Z6	Storm	G2	
			Glacier White	V1			
				65-5152**	20.18" panel length Polypropylene panel Deep cedargrain texture Staggered edge bottom	Ageless Slate	Z5
Almond	54	Laguna Blue				LU	
Canyon Drift	53	Midnight Blue				Q7	
Cape Cod Gray	V3	Monterey Sand				V5	
Cast Iron	CI	Mountain Fern				MF	
Charcoal Smoke	1Q	Pebble				52	
Deep Moss	M1	Riviera Dusk				6F	
Dover Gray	11	Rustic Timber				Z8	
Fired Brick	Z7	Sterling Gray				Z4	
Flagship Brown	Z6	Storm				G2	
Glacier White	V1						

65-5160 starter strip used for all shake/scallop products listed above.

**Per panel product code. Extended lead times and minimum order quantities may apply.

ALUMINUM TRIM COIL

Product	Code	Description	Colors				Packaging
Performance G8 Trim Coil 	10-3960	24" x 50' .019 nominal thickness 25 lbs/roll	Ageless Slate	Z5	Harbor Blue	4I	1 roll/carton 32 rolls/skid
			Almond	54	Laguna Blue	LU	
			Canyon Drift	53	Midnight Blue	Q7	
			Cape Cod Gray	V3	Monterey Sand	V5	
			Cast Iron	CI	Mountain Fern	MF	
			Charcoal Smoke	1Q	Pebble	52	
			Deep Moss	M1	Riviera Dusk	6F	
			Dover Gray	11	Rustic Timber	Z8	
			Fired Brick	Z7	Sterling Gray	Z4	
			Flagship Brown	Z6	Storm	G2	
			Glacier White	V1			
Poly Aluminum Trim Coil 	10-3954	24" x 50' .019 nominal thickness 27 lbs/roll	Ageless Slate	Z5	Harbor Blue	4I	1 roll/carton 32 rolls/skid
			Almond	54	Laguna Blue	LU	
			Canyon Drift	53	Midnight Blue	Q7	
			Cape Cod Gray	V3	Monterey Sand	V5	
			Cast Iron	CI	Mountain Fern	MF	
			Charcoal Smoke	1Q	Pebble	52	
			Deep Moss	M1	Riviera Dusk	6F	
			Dover Gray	11	Rustic Timber	Z8	
			Fired Brick	Z7	Sterling Gray	Z4	
			Flagship Brown	Z6	Storm	G2	
			Glacier White	V1			
PVC Aluminum Trim Coil 	10-3956	24" x 50' .019 nominal thickness 28 lbs/roll	Ageless Slate	Z5	Harbor Blue	4I	1 roll/carton 32 rolls/skid
			Almond	54	Laguna Blue	LU	
			Canyon Drift	53	Midnight Blue	Q7	
			Cape Cod Gray	V3	Monterey Sand	V5	
			Cast Iron	CI	Mountain Fern	MF	
			Charcoal Smoke	1Q	Pebble	52	
			Deep Moss	M1	Riviera Dusk	6F	
			Dover Gray	11	Rustic Timber	Z8	
			Fired Brick	Z7	Sterling Gray	Z4	
			Flagship Brown	Z6	Storm	G2	
			Glacier White	V1			

ASCEND COMPOSITE CLADDING ARCHITECTURAL SPECIFICATIONS

PHYSICAL DATA:

Color.....Uniformity is spectrophotometrically controlled
Emboss.....Cedar mill grain (5" Plank, 7" Plank and 12" Board & Batten); Matte (7" Plank and 12" Board & Batten)
Gloss.....Uniform low gloss maintained with a 75° gloss meter

PRODUCT TEST DATA:

Impact Resistance	>35 inch lbs
Coefficient of Linear Expansion (in/in/°F)	2.3×10^{-5}
Thermal Resistance	R-value 2.0 (5" Plank and 7" Plank); R-value 1.6 (12" Board & Batten)
ASTM D5206-13, Windload Resistance*	5" Plank – 124 psf (24" OC nails, 1-1/4" penetration) 7" Plank – 53 psf (24" OC nails, 1-1/4" penetration) 12" Board & Batten – 50 psf (12" OC nails); 61 psf (8" OC nails)**

*Windload Design Pressure per ASTM D3679 with a SF of 1.5 and PEF of 0.5.

**When installed directly over 7/16" sheathing; penetration into sheathing only.

FIRE RESISTANCE:

ASTM E84 - Class A	Flame spread index ≤ 25 Smoke developed index ≤ 450 Approved for use
ASTM E2707-22, Rated Assemblies (Applicable to 7" Plank and 12" Board & Batten only)	
ASTM E119, Rated Assemblies (Applicable to 7" Plank only)	Approved for use
ASTM D635, Rate of Burn	No self-sustained burn
ASTM D1929, Self-Ignition/Flash-Ignition Temperature	770°F (410°C)/734°F (390°C)
NFPA 268, Section 1406 of IBC	Approved for use

CODES AND REGULATORY COMPLIANCE:

Intertek Code Compliance Research Report #0316
Florida Product Approval #31747; (12" Board & Batten was previously listed under #46921)
ICC-ES Evaluation Report – ESR 4449 (Applicable to 7" Plank and 12" Board & Batten only)

WARRANTY:

ASCEND offers a lifetime limited warranty to the original homeowner; the warranty is transferable if the home is sold. Visit ASCENDCompositeCladding.com for warranty details.

THREE-PART FORMAT SPECIFICATION:

Long-form specification in three-part format is available at ASCENDCompositeCladding.com.



ASCENDCompositeCladding.com | 800.922.6009



©2026 Associated Materials Innovations, a division of Associated Materials, LLC (AM), 3773 State Road, Cuyahoga Falls, Ohio 44223. Trademarks mentioned in this document are the property of AM, its affiliates, or their respective owners. For a copy of the written product warranty, please visit ASCENDCompositeCladding.com or contact your ASCEND Sales Representative. Limited warranty does not apply to damage caused by faulty or improper installation, or causes outside of AMI's control. Note: Observed variations in color, texture, and grain depth may occur due to lighting, viewing angle, and install orientation. The same color can appear different when panels are installed next to each other in a way that reflects light off the surfaces at different angles, including off directional textures like woodgrains. These are normal product characteristics, not defects, and do not affect product performance. Homeowners should confirm color selections using physical samples of the actual profiles, viewed together and in planned orientation outdoors in natural daylight at the installation location. Colors may be slightly different from their appearance in this brochure. Make final color selections using actual product samples. All specifications and designs subject to change without notice. Printed in USA. 08/26 15M/OP 80-7300