

— STEEL SIDING WITH KYNAR® —

Satinwood®


SELECT

The ALSIDE STEEL COLLECTION

Premier Style, Impeccable Performance



Alside®



A LEGACY OF EXCELLENCE AND INNOVATION

The first step in the creation, renovation and preservation of your home involves choosing the right products. In Satinwood Select Steel Siding, you've opened the door to the Alside Steel Collection – a premier brand for long-lasting quality and impeccable style. Our more than 75 years of industry excellence stands strong as our legacy of leadership and trust, where customer happiness always comes first.

We also take special pride in our exceptional “Made in America” quality, which champions the tradition of American ingenuity and craftsmanship while fortifying our nation with impactful jobs and economic dollars. Together, we will continue to strengthen the prosperity of our country.



STEEL SIDING WITH KYNAR

MASTER CRAFTSMANSHIP *is the trademark of our Satinwood Select Steel Siding with Kynar. This beautifully strong and luxurious panel inspires custom elegance while protecting your home with a powerful steel shield.*



A STANDOUT CHOICE FOR ENDURING BEAUTY

Renowned for its superb balance of beauty, functionality and strength, metal is on the rise as a leading exterior material. Satinwood Select further elevates the allure of steel with three distinctive profiles, high-performance colors and natural-looking wood textures that inspire unlimited design potential – from contemporary to historic. Strong, stylish and virtually maintenance-free, your home will convey refined quality from every angle.

THE ULTIMATE PROTECTION FOR YOUR HOME

With equal measures of design ingenuity and core strength, Satinwood Select Steel Siding makes an impressive all-weather exterior cladding. Each pretreated galvanized steel panel is generously sealed with a resilient Kynar finish for optimal performance. Whatever Mother Nature dishes out, Satinwood Select stands ready to protect your home season after season, year after year.

SUPERIOR YIELD STRENGTH PROPERTIES

Yield strength is the amount of stress a material can withstand and is measured in thousands of pounds of force per square inch (KSI). Satinwood Select's yield strength has been tested and proven to perform with impressive results.

Yield Strength is the force (tension, compression or shearing) that is applied to a material and results in some type of material deformity; the material does not fail and it may return to its normal shape when the force is removed. Satinwood Select's YS is 35,000 pounds per square inch.



HAIL AND IMPACT RESISTANCE
Satinwood Select is constructed of roll-formed 29 gauge Galvalume® AZ-50 steel for superior resistance to hail damage and denting.



WEATHERTIGHT CONSTRUCTION
Unlike wood, compressed particleboard or fiber cement, steel siding won't absorb moisture. It also resists warping, chalking, fading and brittleness in cold weather; independently tested to withstand intense winds.



CRISP WALL LINES
Rugged steel construction delivers high dimensional stability and resists buckling and the wavy appearance that can result from expansion and contraction caused by extreme weather changes. The low thermal expansion is less than 1/8" over a 12' panel for the anticipated temperature range.



SMOOTH, UNIFORM FINISH
Panel overlaps are neat and flat, and the rigid steel helps conceal imperfections in the exterior's substructure.



REFINED APPEARANCE
Satinwood Select features a deep 1/2" panel projection for enhanced dimension and distinctive shadow lines. The resilient finish resists dirt and dust buildup, staining and mildew.



SIMPLE UPKEEP
A simple rinse with a garden hose will remove most airborne dust and dirt to keep the siding looking fresh and clean.



RECYCLABLE
Steel is 100% recyclable, requires no additional painting or caulking, and does not produce silica dust during installation.



EASY TO INSTALL
Satinwood Select installs easily. Unlike fiber cement, steel siding does not advise a dust respirator or involve hazards from silica dust.



CLASS A FIRE RATING
Meets even the most stringent fire building codes. Unlike many other siding materials, steel is a non-combustible product.



INSECT RESISTANT
Steel siding resists damage from wood-eating insects, such as termites.



THE BEST OF THE BEST: KYNAR

When it comes to steel coating systems, none can withstand the challenges of weather and time like Kynar resins. The resilient finish preserves the steel core and creates a luxurious color that resists chalking, pitting, chipping, premature aging and more. Satinwood Select enhances the siding texture even further with its proprietary coating formula.

- Highly weatherable and durable
- Keeps colors beautiful and true with fade-prevention polymer pigments
- Strong, low-gloss finish with greater scratch resistance
- High-performance coating protects panels from staining and helps to prevent dirt and other airborne pollutants from adhering to the siding
- Kynar resists mildew and fungus growth; does not have UV-sensitive organic material required for mildew growth

Exceptional Galvalume AZ-50 Steel Protection Satinwood Select Steel Siding is built for outstanding durability and performance. Galvalume AZ-50 steel features a specially formulated 55% aluminum-zinc alloy coating that protects the steel from the elements and provides superior corrosion resistance compared to conventional galvanized steel.

AVOID THE HAZARDS OF SILICA DUST

Silica-based fiber cement contains respirable crystalline silica, which is considered by NIOSH (National Institute for Occupational Safety and Health) to be a cause of cancer from some occupational sources. Breathing excessive amounts of respirable silica dust can cause a disabling and potentially fatal lung disease, such as silicosis.¹ During installation, a dust-collection system attached to a mechanical saw or high-speed cutting tool is recommended, or wear a NIOSH-approved dust mask or respirator. Recommended cleanup includes a vacuum and filter appropriate for capturing respirable silica dust or wet cleanup method to further prevent exposure. Do not dry sweep.



BEAUTY BEYOND THE SURFACE

Selecting the best siding for your home is an important decision that deserves careful consideration. Fiber cement often gains attention for its appearance of freshly painted wood, but when you look beyond the surface beauty, you'll see why Satinwood Select is a smart choice.

| | SATINWOOD SELECT STEEL SIDING | FIBER CEMENT ² |
|---------------------------|--|---|
| BEAUTY | Heavy-duty steel panel with Kynar coating – never needs to be painted. | Made of cellulose and cement; if not prefinished, it must be primed, painted and caulked. |
| MAINTENANCE | Simply rinse with a garden hose to remove most airborne dust and dirt. | Requires caulking and re-caulking to seal seams; may require repainting to maintain appearance. |
| DURABILITY | Highly durable Kynar formula resists staining, dirt and airborne pollutants; stands up strong to almost any weather. Resists impact and hail damage. | Absorptive—must be handled properly from the very start to avoid cracks and chips during shipping, delivery and installation; can be susceptible to delaminating in freeze/thaw conditions. |
| INSTALLATION EASE | Easy to install; creates a neat, uniform finish. | Labor intensive; precise cutting is required for a professional finish. Installers are advised to wear a dust mask or respirator to avoid inhaling silica dust. |
| RESISTS MOLD OR MILDEW | Won't absorb moisture; Kynar coating does not have UV-sensitive organic material needed for mildew growth. | Fiber cement is absorptive, creating the potential for moisture penetration that can lead to rot, mold and/or poor indoor air quality. |
| RECYCLABLE | Steel is 100% recyclable. | Many fiber cement manufacturers send production scrap to landfills. |
| WARRANTY | Satinwood Select Steel Siding is backed by a lifetime limited, non-prorated, transferable warranty with 50-year hail and 35-year chalk and color change protection. See printed warranty for complete details. | Warranty coverage for 30 years; 15-year limited finish warranty on prefinished products. Warranties are prorated after the first year. No coverage for hail, mold or mildew. |



Architecturally pleasing and structurally sound, Satinwood Select protects your home with confidence and reliability. Create a look of refined elegance with Satinwood Select in Double 4" Clapboard (above) or 12" Vertical Board & Batten (left).

A FRESH TAKE ON TRADITIONAL DESIGN

Beauty prevails in Satinwood Select's four classic profiles: Double 4" and 5" Clapboard, 8" Clapboard and 12" Vertical Board & Batten. The subtle sophistication of each panel is further enhanced with natural-looking roughsawn texture and eye-catching colors. Matching and complementing trim and accessories lend a refreshing creative spark with unlimited design possibilities.

LEARN MORE! Visit www.alside.com to learn more about Satinwood Select Steel Siding with Kynar and other premium quality products from Alside. From siding to windows to patio doors and more, Alside has proudly served the residential building products industry for over 75 years.



DESIGNER TRIM AND ACCESSORIES

To add distinction to your home, use a little creativity . . . and Alside's trim and accessories. Choose from our complete package of accessories, trim coil and other engineered metal components in matching Kynar colors to achieve custom style for your home.

Balanced Architectural Emphasis This style creates visual harmony by using narrow or mid-width trim and accessory products, with siding and trim receiving equal attention in the design process.

Dramatic Impact Easily draw more attention to areas of architectural interest by using wider trim in a high contrast color to your siding.

THE ART OF THE MIX

There's no need to settle for siding and trim that almost match. Alside's ColorConnect® Color Matching System offers smart solutions for every design approach. Color Connect standards have been painstakingly applied to select Alside products to ensure that you are making smart color choices with enduring aesthetic value and the custom look you desire.

Whether it's a rich color that draws your eye to an interesting architectural detail, or neutral hues applied to a historic home, the Alside ColorConnect Color Matching System helps you successfully match the color of your siding with other Alside exterior products and accessories.



DID YOU KNOW


- Satinwood Select's Kynar coating system has a nylon additive that results in a 48% improvement in scuff resistance over polyvinyl chloride (PVC) finishes.
- Steel siding can now be cut with an approved saw blade, making installation faster and easier.
- Because steel siding is "hung," it floats better on the exterior for a smoother appearance; fiber cement installs tightly to the exterior wall and thus can show unevenness or imperfections in the substructure.

Double 4" Clapboard
Roughsawn Texture

Double 5" Clapboard
Roughsawn Texture

8" Clapboard
Roughsawn Texture

12" Vertical Board & Batten
Roughsawn Texture



Glacier White

Earthen Tan

Monterey Sand

Golden Shadow

Teakwood

Smokey Ash

Juniper Ridge

Nordic Gray

Harbor Blue

Graphite

Dakota Blue

Burnished Red



GREENER CHOICES FOR A BETTER WORLD

Built to protect your home from punishing weather, Satinwood Select Steel Siding also promotes energy conservation by creating a tight building envelope for more efficient heating and cooling performance year-round.³ In terms of strength and stability, it offers many advantages for residential home building – and is the most recycled material on the planet!⁴ And because it does not need to be painted, it also helps prevent paint, stain and other maintenance-related products from harming the earth.

PEACE OF MIND

Satinwood Select Steel Siding is back by a lifetime limited, non-prorated, transferable warranty with 50-year hail and 35-year chalk and color change protection.* For complete warranty information, including limitations, please see the Satinwood Select Steel Siding warranty.



Alside 3773 State Road Cuyahoga Falls, Ohio 44223
1-800-922-6009 www.alside.com



CUSTOM-CRAFTED IN
AMERICA



©2025 Alside. Trademarks mentioned in this document are the property of Alside, its affiliates, or their respective owners. ¹“Reducing Hazardous Dust Exposure When Cutting Fiber-Cement Siding,” DHHS (NIOSH), Publication No. 2015-185, www.cdc.gov/niosh/docs/wp-solutions/2015-185/pdfs/2015-185.pdf?id=10.26616/NIOSH PUB2015185 (accessed 5/1/25). ² www.vinylcladding.co.nz/wp-content/uploads/2023/10/Vinyl-Siding-and-Fibre-Cement-side-by-side-comparison.pdf (accessed 5/1/25). ³See your Alside Sales Representative for additional information regarding any questions you might have, or any assertions herein, concerning energy efficiency or savings. Energy savings will vary. ⁴American Iron and Steel Institute, www.steel.org/wp-content/uploads/2021/11/AISI_FactSheet_SteelSustainability-11-3-21.pdf (accessed 5/1/25). *For a copy of the written product warranty, please visit www.alside.com/support/warranties/ or contact your Alside Sales Representative. Limited warranty does not apply to damage caused by faulty or improper installation, or causes outside of Alside's control. Colors may be slightly different from their appearance in this brochure. Make final color selections using actual product samples. Specifications are subject to change without notice. Printed in USA 05/25 Digital 75-8264-01