

- **Durable, composite locks and keepers** are engineered for long-lasting performance and are designed to resist common issues like chipping and breaking—offering a reliable alternative to traditional diecast hardware.
- **Partitioned, dual-function** sloped sill creates a negative pressure zone to help secure sashes in place and direct water away.
- **4 Shadow grooved sash welds** offer the look of traditional mitered wood corners.
- 5 **Triple protection weather seal** includes an integral interlock, sill compression bulb seal, and multiple layers of weatherstripping.
- **6 Full balance covers** conceal internal components for a clean appearance.
- 7 Integral lift and pull rails are designed for smooth operation and everyday ease of use.
- 8 **Night latches** help limit sash movement for enhanced safety.
- 9 Stainless steel coil balance system supports smooth, quiet sash movement with minimal effort.
- **Multi-chambered vinyl construction** provides long-lasting durability, thermal efficiency, and low maintenance.



- **Low-profile tilt latches** are concealed for a clean look, but easily engage when needed for cleaning.
- **Fusion welding** is secured in four points to ensure the frame and sashes are always strong and aligned.

Backed by a transferable, Non-Prorated Limited Lifetime Warranty covering vinyl components, insulating glass, screens, and hardware.

SIZING CHART (DOUBLE HUNG STYLE)

	Width	Height	UI*
Minimum	14"	24"	38"
Maximum	52"	98"	132"

MAXIMUM TRIPLE PANE SIZE: 50" width x 80" height *United Inches = Width + Height

VINYL COLOR

Solid Vinyl Colors	Laminated Interiors	Laminated Exteriors
White	Cavalier Oak	Black
Tan	Colonial Cherry	Brown

Laminated options available on white vinyl only.

OPTIONAL UPGRADES



Sentry System multifunction locking hardware integrates the lock and tilt functions into the same lock housing, leaving an uncluttered appearance.



Foam-Filled Frame uses fluorocarbon-free foam that reflects radiant heat, improving strength and insulation.


SHAPES & STYLES

Double Hung 2-lite Slider 3-lite Slider
Picture Casement Awning
Bay/Bow Patio Door Geometrics

PAINT FINISHES



GRID PATTERNS & PROFILES





Easy-Handle Screen IncludedFull FlexScreen with heavy-duty steel frame is damage-resistant and invisible. Simply hold the screen, bend the sides, and fit into the screen track.

GLASS PACKAGES SPECIFIC TO YOUR NEEDS

Insulated glass units increase the energy efficiency of your windows beyond ordinary clear glass. The lower the U-factor, the less energy you'll need to heat your home. The lower the Solar Heat Gain Coefficient (SHGC), the more you'll conserve air-conditioning.

Triple Pane Glass is up to **50% more energy efficient than dual pane.** Installing triple pane windows also reduces noise from the outside and fading from the sun.

Glass Package	U-factor	SHGC	ES 7.0
ClimaTechTPS	.28	.29	-
ClimaTechTPS Elite	.27	.21	SC, S
ClimaTechTPS Quattro	.24	.46	N
ClimaTechTPS Elite SF	.23	.20	NC, SC, S
ClimaTechTPS Elite TG2	.24	.20	NC, SC, S
ClimaTechTPS TG2	.19	.24	N, NC

Values shown are for a DH model with no grids.



www.alside.com

©2025 Alside. Trademarks mentioned in this document are the property of Alside, its affiliates, or their respective owners. See your Alside Sales Representative for additional information regarding any questions you might have, or any assertions herein, concerning energy efficiency or savings. Energy savings will vary. Energy savings assume proper installation and use. Not all products are ENERGY STAR-certified. Sashes on larger sliding windows may be difficult to lift out due to weight. Insulated glass (IG) units that require capillary tubbes may experience some argon gas depletion. Vero[™] windows are not manufactured by Alside. Windows come with transferable limited lifetime warranty from the manufacturer. For a copy of the warranty, please visit www.alside.com/support/warranties or contact your Alside Sales Representative. WARNING: Screen will not stop children from falling out of window. Keep children away from open window. The only purpose of the screen is to help reduce infiltration of insects. Colors may be slightly different from their appearance in this brochure. Make final color selections using actual product samples. All specifications and designs subject to change without notice. PDF only 08/25 Warranty - Alside Your investment in Alside windows, siding, and accessories is backed by lifetime limited transferable warranties.