

**AFFORDABLE
WINDOWS WITH
THE *LOOK AND
FEEL OF LUXURY***





- 1 **Cove-molded sash design** gives the appearance of classic wood.
- 2 **Lead-free composite locks and keepers** deliver up to 50% greater strength than standard diecast hardware and resist fading, warping, and chipping.
- 3 **Partitioned, dual-function** sloped sill creates a negative pressure zone to help secure sashes in place and direct water away.
- 4 **Shadow-grooved sash welds** offer the look of traditional mitered wood corners.
- 5 **Triple protection weather seal** includes an integral interlock, sill compression bulb seal, and multiple layers of weatherstripping.
- 6 **Full balance covers** conceal internal components for a clean appearance.
- 7 **Integral lift and pull** rails are designed for smooth operation and everyday ease of use.
- 8 **Night latches** help limit sash movement for enhanced safety.
- 9 **Stainless steel coil balance system** supports smooth, quiet sash movement with minimal effort.
- 10 **Multi-chambered vinyl construction** provides long-lasting durability, thermal efficiency, and low maintenance.

11 **Low-profile tilt latches** are concealed for a clean look, but easily engage when needed for cleaning.

12 **Fusion welding** is secured in four points to ensure the frame and sashes are always strong and aligned.

Limited Lifetime Warranty covers vinyl, glass package, screens, and hardware for as long as you live in your home and is transferable.

SIZING CHART (DOUBLE HUNG STYLE)

	Width	Height	UI*
Minimum	14"	24"	38"
Maximum	52"	98"	132"

MAXIMUM TRIPLE PANE SIZE: 50" width x 80" height


*United Inches = Width + Height

VINYL COLOR

Solid Vinyl Colors



Laminated Interiors



Laminated Exteriors



Laminated options available on white vinyl only.

OPTIONAL UPGRADES



Sentry System multi-function locking hardware integrates the lock and tilt functions into the same lock housing, leaving an uncluttered appearance.



Foam-Filled Frame uses fluorocarbon-free foam that reflects radiant heat, improving strength and insulation.


SHAPES & STYLES

Double Hung	2-lite Slider	3-lite Slider
Picture	Casement	Awning
Bay/Bow	Patio Door	Geometrics


PAINT FINISHES

White	Black	Graphite
Sterling	Forest	Bronze
Royal Brown	Terra	Pebble
Tan	Cream	

GRID PATTERNS & PROFILES



Flat and Georgian available. Grids are placed between the glass and are securely locked into place to remain straight.



GLASS PACKAGES SPECIFIC TO YOUR NEEDS

Insulated glass units increase the energy efficiency of your windows beyond ordinary clear glass. The lower the U-factor, the less energy you'll need to heat your home. The lower the Solar Heat Gain Coefficient (SHGC), the more you'll conserve air-conditioning.

Triple Pane Glass is up to **50% more energy efficient than dual pane**. Installing triple pane windows also reduces noise from the outside and fading from the sun.

Glass Package	U-factor	SHGC	ES 7.0
ClimaTechTPS	.28	.29	-
ClimaTechTPS Elite	.27	.21	SC, S
ClimaTechTPS Quattro	.24	.46	N
ClimaTechTPS Elite SF	.23	.20	NC, SC, S
ClimaTechTPS Elite TG2	.24	.20	NC, SC, S
ClimaTechTPS TG2	.19	.24	N, NC

Values shown are for a DH model with no grids.



Easy-Handle Screen Included

Full FlexScreen with heavy-duty steel frame is damage resistant and invisible. Simply hold the screen, bend the sides, and fit into the screen track.

Contact your Alside sales representative or visit your nearest Alside Supply Center to order today.



www.alside.com

©2025 Alside. Trademarks mentioned in this document are the property of Alside, its affiliates, or their respective owners. See your Alside Sales Representative for additional information regarding any questions you might have, or any assertions herein, concerning energy efficiency or savings. Energy savings will vary. Energy savings assume proper installation and use. Not all products are ENERGY STAR-certified. Sashes on larger sliding windows may be difficult to lift out due to weight. Insulated glass (IG) units that require capillary tubes may experience some argon gas depletion. For a copy of the written product warranty, please visit www.alside.com/support/warranties or contact your Alside Sales Representative. Limited warranty does not apply to damages caused by faulty or improper installation, or causes outside of Alside's control. WARNING: Screen will not stop children from falling out of window. Keep children away from open window. The only purpose of the screen is to help reduce infiltration of insects. Colors may be slightly different from their appearance in this brochure. Make final color selections using actual product samples. All specifications and designs subject to change without notice. PDF only 10/25 Warranty - Alside Your investment in Alside windows, siding, and accessories is backed by lifetime limited transferable warranties.