



**PATENTED
WINDOW
TRIM
INNOVATION!**

TRIMWORKS®
DECORATIVE ACCENTS

Mezzo® Full-Frame Replacement System
with SwiftLock® Technology

Alside®

Discover the look and performance of The Mezzo Full-Frame Replacement System

A unique solution designed to increase productivity and profitability of full-frame replacement window installations while providing the beautiful aesthetics customers expect.

Our most popular window line features an industry-first trim solution designed for full-frame replacement projects! Completely removing the old window, including its nail fin, and installing a new integral nail fin window is the most reliable solution for replacing vinyl windows – and it's now faster and easier. Not only can you give your customers the beauty and performance of Mezzo Windows installed with proper flashing and water management methods, you'll be able to add decorative custom window trim in a snap, thanks to the patented SwiftLock® Technology.

Trimworks® Decorative Window Accents were created with you in mind. Replacing integral nail fin vinyl windows can be time-consuming and costly. From removing or cutting back siding to dealing with extra trim work to create a clean finished look is typically a lengthy, complicated process that requires skilled labor. When not done properly, it can generate service calls, drive up costs and result in poor-quality work that has to be redone.

Our innovative solution will speed up the trim installation process – no special equipment, training or cutting skills needed – and reduce wasted materials and hours. Plus, with the increase in productivity, more windows can be installed per day, which means profitability goes up and more jobs can be completed with the same labor pool!

SYSTEM COMPONENTS

- 1 MEZZO REPLACEMENT WINDOW**
High-performing, narrowline frame for a greater viewable glass area and superior energy efficiency.¹
- 2 INTEGRAL NAIL FIN**
Provides for proper flashing and water management, consistent with new construction building codes.
- 3 SWIFTLCK TECHNOLOGY**
Quick and easy snap-on solution for trimming out the new window, reducing the total install time.



Trimworks Decorative Window Accents
can reduce installation times per window by
20-40 minutes



No need for
time-consuming
metal bending, measuring, cutting or mitering



Depending on desired look, reduce
installation time for every 10 windows installed by
3-7 hours

Learn More About Our Superior Full-Frame Replacement Solution . . .



-  **EASY** Trim installation is a snap with our new SwiftLock Technology – literally. The trim simply snaps onto the window frame – there’s no measuring, cutting, mitering or bending metal. It’s so easy to apply,² it’s virtually foolproof!
-  **FAST** What makes it easy also makes it fast. Installing trim can be completed in under a minute, providing the opportunity to install more windows each day, move on to the next job even sooner and turn more profit.
-  **BEAUTIFUL** Delivers multiple brickmould or casing looks to cover all homeowner tastes and trends.
-  **CUSTOM-MADE** Trimworks Decorative Window Accents are fabricated with each window for an exact color match and fit, no matter the size or configuration.
-  **CONSISTENCY** Creates a uniform, clean-finished aesthetic from window to window.
-  **WEATHERPROOF** A properly flashed integral nail fin helps avoid leaks and customer callbacks. Secure trim attachment design withstands powerful winds.³
-  **INNOVATIVE** SwiftLock Technology is a patented attachment method that ensures a secure, perfect fit.

Innovative. Faster. Easier.

THIS REVOLUTIONARY SYSTEM will change how exterior trim is installed on full-frame replacement windows, while significantly reducing the time it takes and eliminating the complexity required to get the job done.

Casing and Brickmould Options

Choose from four distinct designs that utilize six installation applications to enhance a home's exterior.



RM | 3-1/2" Casing 4-Sided
(Siding Cutback)[†]



RM | 1-1/2" Brickmould
(Siding Removal)



RM | 3-1/2" Casing with Bullnose Sill
(Siding Removal)[†]



NC | Flushmount Brickmould
with Bullnose Sill (Masonry)



NC | 3-1/2" Casing with Bullnose Sill[†]




NC | 3/4" Brickmould

RM = Replacement Market
NC = New Construction/Home Addition Market

Exterior Color Options

Create custom appeal with Mezzo's full array of curated colors. Choose our beautifully resilient Black Exterior Laminate for the luxe look and feel of powder-coated aluminum, or select an architectural color featuring a high-performance polyurethane coating that's remarkably strong and fade-resistant.




White*




Beige*




Classic Clay*



Black Laminate**




Architectural Bronze



American Terra




Hudson Khaki



Desert Clay



Sand Dune




English Red



Forest Green



Silver



Castle Gray

*Extruded solid color. Note: Classic Clay base is not available with exterior finishes.

**Black Laminate is available in a White base only.

[†]Not available in Black Exterior Laminate; available in Black FrameWorks exterior color.



Alside 2 Ravinia Drive NE, Ste 1700 Atlanta, Georgia 30346
1-800-922-6009 www.alside.com



©2026 Associated Materials, LLC (AM). Trademarks mentioned in this document are the property of Associated Materials, LLC dba Alside, its affiliates, or their respective owners. ¹See your Alside Sales Representative for additional information regarding any questions you might have, or any assertions herein, concerning energy efficiency or savings. Energy savings will vary. ²On average, it takes approximately 7 pounds of force to apply this product. Force applied could vary depending on window size and/or brickmould profile. ³Assembled units were exposed to 135 mph winds with the brickmould and casing staying affixed to the window. Colors may be slightly different from their appearance in this brochure. Make final color selections using actual product samples. All specifications and designs subject to change without notice. Printed in USA 02/26 Digital 75-7401-01



Please recycle this literature.