


Fairfield 80

80 Series Fusion-Welded Vinyl Windows

Beautifully Designed for Exceptional Energy Efficiency



Alside[®]

INNOVATIONS IN WINDOW TECHNOLOGY

Sleek Style, Superb Performance



A LEGACY OF EXCELLENCE

There is so much more to the windows in your home than the frame, sashes and glass. The true substance is the quality and expertise built into every step of the design and manufacturing process. In choosing Alside for your window installation, each window is custom-made to fit your window openings precisely. Our more than 75 years of industry excellence stands strong as our legacy of leadership and trust, where customer happiness always comes first.

We also take special pride that Alside windows provide exceptional "Custom-Crafted in America" quality, which not only champions the tradition of American ingenuity and craftsmanship, it also fortifies our nation with quality jobs and economic dollars.



FUTURE-FORWARD WINDOW DESIGN

Sleek, strong, energy-efficient and virtually maintenance-free, Fairfield 80 Series Windows deliver every “must-have” in a high-performance replacement window. The premium vinyl technology and ultra-efficient insulated glass unit¹ save energy year-round,² while the clean-line design elevates the architectural style of your home – inside and out.

A MORE COMFORTABLE HOME

Fairfield 80 Series Windows provide a powerful thermal shield to keep your home cooler in the summer and warmer in the winter with less energy use. Fusion-welded mainframe and sashes feature multichambered extrusions that trap dead air for an effective insulating barrier. Heavy-duty double-pile weatherstripping, interlocking sash meeting rails and integrated insulating components further defend your home against energy loss.

CAREFREE UPKEEP

The beauty is built in! Fairfield 80 Series’ premium vinyl construction won’t rot, split, corrode or pit like painted wood windows and won’t swell or warp from exposure to moisture. Your windows will maintain their like-new appearance year after year and never need to be painted.

GREEN INSPIRATION

Alside Windows and Patio Doors are expertly crafted to provide energy efficiency and help reduce the consumption of fossil fuels for heating and cooling homes. Using less energy to heat and cool your home not only saves money, it can reduce your home’s carbon footprint as well. Vinyl’s long lifespan and low maintenance nature can further lessen your impact on the environment as no painting, staining or other maintenance-related products are needed.



USGBC
MEMBER

USGBC and related logo is a trademark
owned by the U.S. Green Building Council.

ULTRA-EFFICIENT GLASS PACKAGES

Windows are about 80% glass, so it's important to choose a glass system that meets the specific challenges of your climate. That's why every Fairfield 80 window comes standard with our ClimaTech® Plus insulated glass package – engineered to improve energy efficiency and help further reduce energy costs.

SAVE MORE ENERGY WITH CLIMATECH PLUS GLASS

- ClimaTech Plus combines multilayered, low-emissivity (Low-E) glass, argon gas and Quanex® Super Spacer® structural foam spacer system.
- Proven to be far more energy efficient than ordinary clear glass units.
- Compare the glass package performance:
 - The lower the U-Factor, the less energy you'll need to heat your home
 - The lower the Solar Heat Gain Coefficient (SHGC), the more you'll conserve on air-conditioning

HIGH-PERFORMANCE SPACER SYSTEM

The spacer system is a key component to the window's energy efficiency. It not only enhances the thermal performance of a window by helping to block the conduction of heat, it also stabilizes the panes of glass for increased longevity and strength.



Ultra-durable and energy efficient, the Super Spacer® foam spacer system combines a foam spacer with a seal of hot melt butyl to create a “warm” low-conductive edge. This non-metal design eliminates any metal-to-glass contact, thereby increasing the edge of the glass temperature for a highly effective thermal barrier.



In summer months, Low-E glass helps block unwanted solar heat gain.



In winter months, Low-E reduces heat loss by reflecting warm air back into your home.

Fairfield 80 Series Glass Performance Comparison³

	Single-Hung		Sliding	
	U-Factor	SHGC	U-Factor	SHGC
Clear Insulated	0.45	0.61	0.47	0.61
ClimaTech Plus	0.30	0.29	0.29	0.29
ClimaTech Plus Elite	0.29	0.21	0.29	0.21
ClimaTech Plus Elite Lite	0.33	0.22	0.33	0.22
ClimaTech TG2 Plus	0.23	0.25	0.22	0.25

³Whole window values, double-strength glass.

YOU CHOOSE!


Fairfield 80 Series Windows feature an extensive selection of ENERGY STAR-certified glass package options specifically designed for increased insulation and protection from solar heat gain. Ask about our extensive selection of glass package options specifically designed for increased insulation and protection from solar heat gain.



Alside offers a variety of ENERGY STAR®-certified products. Consult your window professional for an energy-efficient glass package for your home and climate zone.

BUILT FOR YOUR CLIMATE

The ENERGY STAR label certifies that the window is a positive choice for energy efficiency, fuel savings and the environment. ENERGY STAR is a government-backed voluntary partnership program sponsored by the U.S. Environmental Protection Agency and the U.S. Department of Energy to help consumers recognize energy-efficient products. It's good for you and good for the environment!



PRECISION-BUILT FROM THE INSIDE OUT

Leave it to Fairfield 80 Series Windows to combine energy-saving innovations with superior strength, contemporary style, carefree upkeep and excellent value.

1. Premium vinyl won't chip, peel, crack or warp; never needs to be painted.
2. Multichambered extrusions for superior welding strength and thermal efficiency.
3. 1" thick (nominal) insulated glass unit for year-round energy savings.
4. Super Spacer® foam spacer system protects against energy loss.
5. Interlock at sash locking rail increases strength.
6. Metal-reinforced locking rail ensures durability.
7. Fully extruded dual lift rails for easy sash operation.
8. Drop-in exterior glazing provides enhanced performance during inclement weather.
9. Full capture sill enhances protection from air and water infiltration.
10. Hidden screen track for a sleek, clean appearance.
11. Nailing fin welded at all corners for weathertight installations.



ADDITIONAL FEATURES

- Heavy-duty fusion-welded mainframe and sash.
- 3-3/8" frame depth for multiple applications.
- Sash operates on two concealed, pre-calibrated block and tackle sash balances.
- Double-pile weatherstripping helps block energy loss.
- Side-load bottom sash for convenient cleaning access.
- Covered weep holes help prevent water, insects and debris from coming in while allowing water drainage to the exterior.
- Water management system with offset drainage to the exterior.

FRAME CONFIGURATIONS

Fairfield 80 Series Windows come standard with a 1-3/8" nail fin setback. For enhanced appearance and ease of installation, three additional options are also available.




1-3/8" Nail Fin Setback (standard)


1" Nail Fin Setback

Stucco Fin

Block Frame



Triple-pane glass option increases energy savings and reduces outside noise penetration.



ClimaTech Plus iE option features insulating foam inserts in select mainframe channels.



Optional PAL lock (shown locked and unlocked) makes it easy to close and lock the window in a single motion.



Optional ADA compliant PAL lock (shown locked and unlocked) with an adjustable pull cord to disengage the lock.

Please note: ADA compliance pertains to the lock only. The window will need to be retrofitted with a lift mechanism in the field to meet ADA standards.

SLIDING WINDOWS

Available in 2- and 3-lite styles, Fairfield 80 Series Sliding Windows feature a generous glass area that offers a great outdoor view. Distinctive for their smooth horizontal gliding action, sliding windows also feature sashes that lift out for easy cleaning.⁴



- Fusion-welded mainframe and sashes for increased strength and a clean, low-profile finished look.
- Multiwalled extrusions provide superb structural integrity.
- Integral pull handle for easy opening and closing of the window.
- Integral full-length interlock with double-pile weatherstripping increases strength and thermal performance.
- Specially designed brass tandem roller system ensures smooth operation.
- Cam lock and keeper for a tight seal and increased energy efficiency.



Cam Lock and Keeper



Tandem Brass Roller System



Integrated Pull Handle




Metal-Reinforced Meeting Rail



Integrated Nail Fin

PICTURE, FIXED LITE *and* SPECIALTY SHAPE WINDOWS

Paired with a beautiful outdoor view and an infusion of natural light, large picture windows can transform your home by creating a spacious and airy ambiance. Add specialty shape windows and fixed lites to expand your window design.



- Fusion-welded mainframe for increased strength and a clean, low-profile finished look.
- Multiwalled extrusions provide superb structural integrity.
- 1-1/8" wide nailing fin is welded in all four corners to ensure weathertight performance.
- 1" thick (nominal) insulated glass with Super Spacer® warm-edge technology for year-round energy savings.
- Narrow sight-lines create a clear, expanded view.
- Combine specialty shape windows and fixed lites for a custom design.

SPECIALTY SHAPES

Choose from a wide array of shapes including round tops, cathedrals, octagons, pentagons, trapezoids, triangles and more.



Full Round



Half Round



Quarter Arch



Round Top



Octagon



Pentagon



Trapezoid



Triangle

SINGLE-HUNG WINDOWS

With simplicity and ease, Fairfield 80 Series Single-Hung Windows will beautify and protect your home. The classic elegance of single-hung windows complements a variety of architectural styles – from contemporary to rustic.



- Fusion-welded mainframe and sashes for increased strength and a clean, low-profile finished look.
- Multiwalled extrusions provide superb structural integrity.
- 1" thick (nominal) insulated glass with Super Spacer® warm-edge technology for energy savings.
- Side load sash operates on two concealed, pre-calibrated sash balances.
- Integral lift rails ensure easy raising and lowering of the sash.
- Cam lock and keeper for a tight seal and energy efficiency.
- Full weatherstripping on the perimeter provides greater energy savings.



Cam Lock and Keeper



Weep Holes



Integrated Dual Lift Rails



Metal-Reinforced Meeting Rail



Integrated Nail Fin

CASEMENT WINDOWS

Fairfield 80 Series Casement Windows feature an easy-touch crank handle for a gentle outward opening of the sash. Combining casements with fixed lites will customize your window design with character and charm.



- An easy-to-operate, heavy-duty positive crank mechanism ensures smooth opening and closing of the sash.
- Stainless steel hardware delivers years of trouble-free hinge operation.
- Multiwalled extrusions provide superb strength, durability and structural integrity.
- An energy-efficient design with double compression bulb seal helps protect against air and water infiltration.
- Multiple lite configurations are available in a single mainframe.



Dual Locking System



Heavy-Duty Hinge System



Operating Handle

AWNING WINDOWS

Add a distinctive touch of style to your home with Fairfield 80 Series Awning Windows. Opening up and outward with a convenient crank handle, awning windows enhance any room with natural light and refreshing ventilation.



- Fusion-welded mainframe and sashes for increased strength and a clean, low-profile finished look.
- Heavy-duty, state-of-the-art hinge system provides easy opening and closing of the sash.
- A dual locking system on each side of the window offers added comfort.
- Combine with fixed lites to allow for convenient ventilation while creating a larger window design.
- Multiple lite configurations are available in a single mainframe.



Dual Locking System




Heavy-Duty Hinge System



Operating Handle

SLIDING PATIO DOORS

With their pristine appearance, Fairfield 80 Series Sliding Patio Doors will create a stylish entry for your home. A well-built patio door invites the beauty of outdoors inside, while providing an energy-efficient barrier against inclement weather.



- Fusion-welded construction delivers long-lasting durability.
- Sturdy 4-1/2" frame depth and 1" wide integral nailing fin with 1-3/8" setback for added structural integrity.
- Stucco fin option is also available.
- 1" thick (nominal) insulated glass with Super Spacer® warm-edge technology provides all-weather protection.
- Adjustable dual tandem roller system on an aluminum track ensures easy gliding action.
- Keyed handle lock and foot lock options.
- Two-, three- and four-panel configurations available.




European-Style Handle with Thumb Lock




Metal-Reinforced Meeting Rail




Adjustable Steel Tandem Rollers



Two-Panel Configuration



Three-Panel Configuration




Four-Panel Configuration

DECORATIVE OPTIONS

Add Your Personal Touch

COLORS


Our curated color palette makes it easy to customize your windows. Choose our beautifully resilient Black Exterior Laminate for the luxe look and feel of powder-coated aluminum, or select Architectural Bronze or Silver exterior colors featuring a polyurethane coating that's remarkably strong and fade-resistant.



Note: White, Almond and Desert Clay are extruded solid colors. Black Laminate is available with a White base only. Architectural Bronze and Silver are available with a White or Almond base only.


INTERIOR GRIDS

Decorative grids will lend style and dimension to your windows. Classic grids are available in White, Almond and Desert Clay. All grid selections are offered in Colonial, Prairie and Craftsman patterns in a 5/8" standard flat grid, a 3/4" contoured grid and a 1" contoured grid.



OBSCURE GLASS

Obscure glass styles offer privacy for bathrooms and other areas of your home without blocking the natural light.



THE ALSIDE LIFETIME LIMITED WARRANTY



Fairfield 80 Series Windows from Alside incorporate product innovation, manufacturing excellence and exceptional quality that you can count on, from the day your windows are installed until the day you sell your home. And to make your buying decision easier, Alside backs all Fairfield 80 Series Windows with its Lifetime Limited Warranty. In addition, our Black Exterior Laminate and painted finishes carry a 10-year limited warranty.⁵



Alside 2 Ravinia Drive NE, Ste 1700 Atlanta, Georgia 30346
1-800-922-6009 www.alside.com



©2026 Associated Materials, LLC (AM). Trademarks mentioned in this document are the property of Associated Materials, LLC dba Alside, its affiliates, or their respective owners. Super Spacer® is a registered trademark of Quanex IG Systems, Inc., a subsidiary of Quanex Building Products Corporation. ENERGY STAR name and logo are registered U.S. marks and are owned by the U.S. government. Photos on cover and page 2: ©2023 Green Tech Construction and D. Taylor Raymond. Used with permission; all rights reserved. ¹Insulated glass (IG) units with capillary tubes will be air filled, will not contain argon or krypton fill, and may have different performance values than standard argon or krypton fill. ²See your Alside Sales Representative for additional information regarding any questions you might have, or any assertions herein, concerning energy efficiency or savings. Energy savings are not guaranteed and will vary. Energy savings assume proper installation and use. Not all products are ENERGY STAR-certified. ⁴Sashes on larger sliding windows may be difficult to lift out due to weight. ⁵For a copy of the written product warranty please visit www.alside.com/support/warranties/ or contact your Alside Sales Representative. Limited warranty does not apply to damage caused by faulty or improper installation, or causes outside of Alside's control. WARNING: Screen will not stop child from falling out window or patio door. Keep child away from open window or patio door. The only purpose of the screen is to reduce the infiltration of insects. Colors may be slightly different from their appearance in this brochure. Make final color selections using actual product samples. All specifications and designs subject to change without notice. Printed in USA 07/26 5.5M/OP 75-2531-01